

## 5

## 10

15

## 20

25

25

30

Document WO8904168 discloses a method for isolating and preserving hematopoietic cells from fetal and neonatal blood. This method is aimed to a therapeutic use of fetal and neonatal cells for hematopoietic reconstitution or in gene therapy, and can be implemented for cryopreserving

fetal or neonatal blood cells aimed to autologous reconstitution.

5 The immunocompetent cells (lymphocytes, phagocyte cells, monocytes, macrophages) play a leading role in the immune system. In particular, lymphocytes store information during life and are the support of memory for humoral and cellular immunity. These immunocompetent cells constitute in fact a library, in particular a lymphocyte library, which is enhanced during life, when the body meets foreign organisms, during viral, parasitic or bacterial infections. By means of this "immunity library", the body can minimize the impact of the infections during life. The action mechanism of the immune system is already known. Information are stored in the walls of lymphocytes, as illustrated by the transfer factor and reported by numerous publications. This mechanism also contributes to the defense against malignant cells.

10 First, this memory is partially being erased with time, as shown by the requirement to achieve vaccination confirmations for preserving an efficient protection. Concerning the humoral immunity, the antibody ratios decrease, quickly for the IgM, more slowly for the IgG and the IgA.

15 Moreover, errors are introduced with time and the immunity becomes usually less efficient with years. Because of this degradation, infections as flu are far more dangerous for aged persons. Furthermore, it would be particularly interesting to preserve information acquired along a whole life.

Document WO9953030 discloses a method for managing batches of immunocompetent cells , comprising for a human subject:

- 25 - conditioning and storing batches of immunocompetent cells in one or more storage centers,
- constituting and enhancing a personal library of immunocompetent cells from successively collected batches, said personal library preserving a sum of immunity information stored the collected immunocompetent cells, and
- 30 in response to a request for treatment of a said human subject:
  - processing all or part of said immunity information cumulated in said

personal library, and

- localizing one or more stored batches of immunocompetent cells, and then transferring this or these batch(es) to a requesting cellular-treatment center.

5       Such a process thus provides patients with the guarantee of storage of their lymphocytes in the long term, with the prospect of having them available at any time for, inter alia, strengthening of their immune system. It therefore becomes possible to give back to people their former immunity and to transmit a cell immunity under rational and reliable management conditions,  
10       and also to have access to their corresponding genetic code at the time of collection of the blood.

But besides the need for preserving immunocompetent cells in view of a deferred use, main questions concerning the definition of a suitable protocol for this deferred use are raised. In fact, it was shown that a mere re-  
15       injection of immunocompetent cells previously collected on a human subject could result in potentially serious immunity problems. Moreover, it was shown that the quality and potential efficiency of collected immunocompetent cells could be highly dependant on the human subject's general status of health, with adverse consequences for the performance of the present methods.

20

#### SUMMARY OF THE INVENTION

The object of the present invention is to remedy these disadvantages by proposing a process for management of batches of immunocompetent cells collected and preserved for deferred use, which fully integrates, for  
25       human subjects and extensively for animal subjects, the dimension of identity and status of health.

This object is achieved by a method for management of batches of immunocompetent cells collected from human or animal subjects for deferred use, comprising for each of said human or animal subjects:

- 30       - conditioning and preserving successively collected batches of immunocompetent cells, into one or more storage centers, and

00605961 101600

- constituting and enhancing from collected batches a personal library of immunocompetent cells, said personal library cumulating a sum of immunity information stored in the collected immunocompetent cells.

According to the invention, the method further comprises:

- 5 - gathering information characteristic of the status of said human or animal subject, effected before or during the immunocompetent cells collection, and
- processing said characteristic information for determining parameters of a deferred-use protocol for immunocompetent cells from said human or
- 10 animal subject's personal library.

With the method according to the invention, information characterizing the human or animal subject's status such as the state of health and psychological status can be processed both for determining the opportunity of collecting immunocompetent cells and for selecting parameters of a deferred-

15 use protocol.

The status-characterizing information are preferably obtained by processing a blood sample collected from the human or animal subject. They may comprise bioelectronic information resulting from processing respective measures of pH, oxidation-reduction potential Rh2 and resistivity of blood

20 previously collected on said human or animal subject according to the Vincent's bioelectronic method.

The status-characterizing information may also comprise information obtained by processing sensible crystallization images of blood previously collected on said human or animal subject, and/or information obtained from

25 a capillary study on elements of said human or animal subject's hair.

The status-characterizing information and the immunity information stored in the immunocompetent cells of said human or animal subjects are advantageously entered into an expert system used for determining parameters for deferred-use protocols. This expert system can be arranged

30 for providing an interpretation of said status-characterizing information and said immunity information with respect to a particular gene.

The process of the status-characterizing information is arranged for determining respective optimal proportions of different immunocompetent cells in view of their deferred use, and, for example, can provide with a determination of an optimal ratio between lymphocytes T4 and T8 in view of their deferred use.

When the method according to the invention is implemented in a therapeutic protocol including re-injecting lymphocytes on a human or animal subject, the previously collected and preserved immunocompetent cells can be submitted to an ex-vivo process before being re-injected. The method according to the invention can also be implemented in a therapeutic protocol including re-injecting lymphocytes T with a specific cytotoxic activity after ex-vivo expansion, or in a gene therapy protocol.

The therapy protocol wherein the management method according to the invention is implemented generally includes a step for checking the harmlessness of lymphocytes before réinjection. This checking step comprises a test of the oxidative stress of the lymphocytes before réinjection, during which said lymphocytes are aggressed by free radicals. In an evolutionary test for a period of roughly 3 to 6 months, ill-stored lymphocytes when submitted to free radicals generate a quantifiable oxidative stress.

The oxidative stress test can also advantageously be used to check various therapy ways for an ex vivo processing and their matching with the human or animal subject concerned by said therapy. Thus, an excessively aggressive lymphocyte product will produce a great amount of free radicals. In the case of an ex vivo processing including a cytotoxic processing, this test enables to choose the most adequate therapy for a patient.

Another promising way of implementation for the management method according to the invention relates to therapy protocols including an ex vivo processing between lymphocytes and a vaccine before réinjection. No production of antibodies has been observed.

The management method according to the invention can further be implemented in a therapy protocol including an ex vivo processing for an

0065961 101600

allergic desensitization of lymphocytes before réinjection. The product obtained from said protocol is then mixed with lymphocytes stored before réinjection.

5 In another implementation of the management method according to the invention, the related therapy protocol includes re-injecting lymphocytes into a patient's body by the lymphatic way. The aim is reduce the prescribed quantities in view of a better tolerance by said patient and a greater reaction speed.

10 The management method according to the invention can also be implemented in a therapy protocol for transfusing blood from a donor to a receiver, said protocol including substituting lymphocytes from the donor by lymphocytes from the receiver.

15 The management method according to the invention can further comprise, before the step of cryo-preservation of a batch of immunocompetent cells, an initial step for cryogenizing said batch arranged for causing the antibodies initially present in said batch to be annihilated. A step for checking the annihilation of other antibodies within the batch of immunocompetent cells can also be provided.

20 In a particular embodiment of the method according to the invention, said method further comprises, during a sequence for conditioning a batch of immunocompetent cells previously sampled, a step of immunomagnetic selection for purified lymphocytes or monocytes.

25 According to another aspect of the invention, there is proposed a system for managing batches of immunocompetent cells collected from human or animal subjects for their deferred use, implementing the method according to any of preceding claims, said system comprising for each of said human or animal subjects:

- means for conditioning and preserving batches of immunocompetent cells successively collected, into one or more storage centers, and
- 30 - means for constituting and enhancing from said collected batches a personal library of immunocompetent cells, said personal library

cumulating a sum of immunity information stored in the collected immunocompetent cells.

According to the invention, the system comprises:

- means for gathering information that are characteristic of said human or animal subject's status, before or during immunocompetent cells collection, and
- means for processing said status-characterizing information in view of determining parameters for a deferred-use of immunocompetent cells from said human or animal subject's personal library.

According to still another aspect of the invention, there is proposed a therapy method comprising the step of re-injecting immunocompetent cells in the body of a human or animal subject, said immunocompetent cells having been previously collected during one or more collecting steps from said human or animal subject, and then conditioned, preserved and stored, and constituting a personal library cumulating a sum of immunity information stored in said collected immunocompetent cells.

Said therapy method is characterized in that it is controlled by a deferred-use protocol for said immunocompetent cells which includes parameters obtained by processing immunity information stored in said immunocompetent cells and information characteristic of the status of said human or animal subject, said characteristic information having been gathered before or during the one or more collecting steps.

In a therapy protocol including re-injecting lymphocytes on a human or animal subject, the previously collected and preserved immunocompetent cells are submitted to an ex-vivo process before being re-injected.

The therapy protocol can include re-injecting lymphocytes T with a specific cytotoxic activity after ex-vivo expansion.

According to still another aspect of the invention, there is proposed a method for determining parameters of a protocol for a deferred use of immunocompetent cells from a human or animal subject's personal library, said personal library cumulating a sum of immunity information stored in the

005001-10500

immunocompetent cells successively collected and conditioned under the form of batches preserved in one or more storage centers, characterized in that said method comprises:

- 5       - measuring physical and/or biological characteristics done on samples of fluid and/or hair from said human or animal subject before or during the collection of immunocompetent cells,
- collecting information characteristic of said human or animal subject's status resulting from said measurements,
- processing said characteristic information in an information system for  
10       determining parameters of said deferred-use protocol, and
- storing said processed information in a cell management data base.

There is also proposed a system for determining parameters of a protocol for a deferred use of immunocompetent cells from a human or animal subject's personal library, said personal library cumulating a sum of immunity  
15       information stored in the immunocompetent cells successively collected and conditioned under the form of batches preserved in one or more storage centers, characterized in that said system comprises:

- 20       - means for measuring physical and/or biological characteristics done on samples of fluid and/or hair from said human or animal subject before or during the collection of immunocompetent cells,
- means for collecting information characteristic of said human or animal subject's status resulting from said measurements,
- means for processing said characteristic information in an information system to determine parameters of said deferred-use protocol, and  
25       means for storing said processed information in a cell management data base.

#### DETAILED DESCRIPTION

Other details and advantages of the invention will also become  
30       apparent in the description below. Regarding the attached drawings, given as non-limiting examples:



- Figure 1 is a block diagram of the management method according to the invention; and
- Figure 2 is a time-diagram featuring main steps of the management method according to the invention effected for a human or animal subject.

5

The management method according to the method generally includes, with reference to Figure 1 a first stage of characterization and identification of the human or animal subject's status, successive stages of collection of immunocompetent cells from said subject followed by stages of cryo-

10 preservation and storage of batches of cells, and by one or more stages of deferred use of preserved cells

During the characterization and identification stage, samples of blood and of other fluids and secretions like saliva or urine are collected from the human or animal subject. Samples of hair can also be collected. The blood

15 sample can be processed by any suitable biologic method for providing information characterizing the effective identity.

For example, the Vincent's bioelectronic method, that includes a measurement of the pH, a measurement of the oxidation-reduction potential  $rH_2$ , and a measurement of the resistivity  $\rho$  of the blood sample, provides an

20 interesting characterization of the subject's present status of health.

Another useful biologic evaluation method consists in the processing and interpretation of sensible crystallization images of blood, and provides with other status-characterizing information concerning the subject's status of health with precise data on various physiologic troubles.

25 Status-characterizing information provides by either a bioelectronic process or a sensible crystallization image process, can be corroborated by information processed from a capillarity study on a hair sample.

The whole status-characterizing information are gathered and processed to generate identity data that can be entered into an expert

30 system for which specific rules are implemented.

Following the above-described characterization and identification

009101 1993960

5

10

15

20

25

30

5 All along these processing sequences, data related to every elementary step are collected, gathered and stored into a cell management database that also receives data from the expert system including the subject's identity data. The stored immunocompetent cells belonging to a human or animal subject constitute his or its personal immunity library that is linked by the cell management database that can be located within a management center controlling the plurality of storage sites and one or more preparation and cryo-preservation centers.

10 When the management center receives a request for re-use to the benefit of a human or animal subject, an identification of the personal batches of cells is effected by consulting (R) the cell management database and receiving (D) from said database identification data related to an appropriate batch of cells which is forwarded from a storage site towards a center specifically equipped for deferred re-use.

15 By interrogation of the database, a batch belonging to this subject is determined and located in one of the storage sites. After location and cell identification, the batch in question is forwarded by express transport to a cell treatment center which can also be the center in which the initial collection was made.

20 Said batch is then processed to room temperature and immunocompetent cells are put in culture and/or submitted to an ex-vivo process. Parameters of a protocol of re-use are determined by requesting identity data from the cell management database and processing said identity data to determine for example optimal ratio between lymphocytes T4 and T8 for re-injection. Said re-use or deferred-use protocol is then implemented in a re-use process applied to the human or animal subject.

30 The management method according to the invention allows the constitution all along a human or animal subject's life of both a personal "cell library" and of a personal database containing data resulting from successive characterization stages and data generated by use of the expert system, as illustrated by Figure 2. As a way of example, at an instant  $T_0$ , a human or

009551.101600

animal subject is submitted to a status characterization process SCo that provides with information characterizing the subject's physiologic identity and state of health. If this characterization stage results in a correct evaluation, a stage for collecting immunocompetent cells is then effected at instant Tco on  
5 the human or animal subject.

At a further instant Tj, another status-characterization stage is effected on the human or animal subject and this characterization stage results in data revealing a physiologic trouble preventing from any cell collection. A therapeutic treatment can be proposed in order to remedy the diagnosed  
10 trouble and another characterization stage is further effected at instant Tn until getting a correct evaluation allowing a collection stage i of immunocompetent cells.

Data resulting from the successive status-characterization stage are gathered, processed in the expert system and stored in cell management  
15 database, while collected immunocompetent cells enhance the subject's personal cell library.

When a re-use process of immunocompetent cells is prescribed for a human or animal subject, a protocol of deferred-use is determined using data stored in the database with, for example, optimal proportions between each  
20 type of cells. Selected immunocompetent cells are then extracted from the personal cell library and, if necessary, processed ex-vivo. When these immunocompetent cells are ready for use, an re-use process according to the determined personal protocol is effected at instant Tu.

It should be noted that each patient or subject following such a  
25 program generally has available a stock of batches of immunocompetent cells or haematopoietic-system components, which enables him, for example, to spread successive auto-uses, for example in the form of auto-injections, over a period of time, with the aims of strengthening the immune system or gene or other therapy, or also to use them massively if the stock of  
30 haematopoietic-system components made up in this way is required.

The management method according to the invention is preferably

009551-10600

It has to be noted that a management system according to the invention can be entirely automated, from the collection of information characteristic of the physical and/or biological status of a subject, through the preservation and storage of immunocompetent cells, up to the determination of protocols for deferred-use of said immunocompetent cells. The protocol determination process can be advantageously implemented in an expert system processing past experimental and clinical data related to deferred-use cumulated practice. For example, a deferred-use protocol may comprise as a way of non-limitative example, an optimal time schedule indicating the proposed dates for deferred use depending on collected personal parameters and therapeutic indications for re-use, and biological and technical indications required for cell processing before re-use.

Personal characteristic information collected during the biological and physical analysis sequences can be stored, either close to the corresponding personal immunocompetent cells, for example in an electronic chip or microcircuit within or close to the preservation devices, or in global storage units remote from the cell storage and preservation units and accessible through communication networks. Hybrid and redundant solutions combining close storage of both immunocompetent cells and related information and remote information storage can also be provided.

Besides the numerous applications contemplated in the field of human therapy, the method according to the invention can also be implemented in the field of mass animal production, particularly as an alternative to the antibiotic therapy, for racehorses in order to provide them with an immunity

The invention is of course not limited to the examples which have just been described, and several modifications may be made to these examples without going beyond the context of the invention. In the context of the collection and re-use phases, additional technical stages can thus be provided, according to medical requirements and safety constraints. The tools of communication used between the various operational and management centers can be of any nature.

10 Furthermore, the data gathered in the context of the management  
process according to the invention may advantageously be processed for  
statistical purposes, with applications in the field of prevention and insurance.